Neuroscience Letters, 221 (1997) 219–221
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Agid, Y., see Boissière, F., 141
Aizawa, T., see Nakamura, S., 181
Ambrosio, S., see Espejo, M., 5
Amenta, F., see Tayebati, S.K., 208
Andersson, K., see Chen, Y., 77
Arranz, M.J., see Kunugi, H., 202
Assmann, D., see Knörle, R., 169
Atkinson, P.F., see Cairns, N.J., 161

Barkhof, F., see Rombouts, S.A.R.B., 1
Bartrons, R., see Espejo, M., 5
Beani, L., see Briganti, F., 61
Beckman, M., Iverfeldt, K., Increased gene expression of β-amyloid precursor protein and its homologues APLP1 and APLP2 in human neuroblastoma cells in response to retinoic acid, 73
Behr, J., see Gloveli, T., 93
Benabid, A.-L., see Wu, Y., 69
Bennett, G.J., see Herzberg, U., 157
Bermúdez, J., see Espejo, M., 5
Birbaumer, N., see Hardman, E., 117
Bjelke, B., see Chen, Y., 77
Blum, D., see Wu, Y., 69
Blum, M., see Chen, Y., 77
Bogdanov, M.B., Wurtman, R.J., Possible involvement of nitric oxide in NMDA-induced glutamate release in the rat striatum: an in vivo microdialysis study, 197
Boissière, F., Faucheux, B., Agid, Y., Hirsch, E.C., Expression of catalytic trkB gene in the striatum and the basal forebrain of patients with Alzheimer's disease: an in situ hybridization study, 141
Boutelle, S., see Lin, L.-H., 97
Briganti, F., Beani, L., Panzica, G.C., Connections of the dorsomedial part of the nucleus intercollicularis in a male non-songbird, the Grey partridge: a tract-tracing study, 61
Bufler, J., Heckmann, M., Jahn, K., Franke, C., Distribution of desensitization time constants of mouse embryonic-like nicotinic and homomeric GLUR6 glutamate receptor channels, 173

Cairns, N.J., Atkinson, P.F., Kovács, T., Lees, A.J., Daniel, S.E., Lantos, P.L., Apolipoprotein E e4 allele frequency in patients with multiple system atrophy, 161
Cao, L., Sun, X., Shen, E., Nitric oxide stimulates both the basal and reflex release of vasopressin in anesthetized rats, 49
Carlton, S.M., Coggeshall, R.E., Immunohistochemical localization of enkephalin in peripheral sensory axons in the rat, 121
Castrén, E., see Gloveli, T., 93
Chai, C.Y., see Tsai, M.L., 109
Champigny, G., see Dauch, P., 85
Charlton Sacktor, T., see Osten, P., 37
Checler, F., see Dauch, P., 85
Cheesman, K., see Hardman, E., 117
Chen, Y., Herrera-Marschitz, M., Bjelke, B., Blum, M., Gross, J., Andersson, K., Perinatal asphyxia-induced changes in rat brain tyrosine hydroxylase-immunoreactive cell body number: effects of nicotine treatment, 77
Chiba, T., see Suseki, K., 41
Chu, L.W., see Tsai, M.L., 109
Coggeshall, R.E., see Carlton, S.M., 121
Collier, D.A., see Kunugi, H., 202
Crews, F.T., see Rudolph, J.G., 149
Cuevas, P., Reimers, D., Giménez-Gallego, G., Loss of basic fibroblast growth factor in the subcommissural organ of old spontaneously hypertensive rats, 25
Cutillas, B., see Espejo, M., 5

Daan, S., see Strijkstra, A.M., 177
Daniel, S.E., see Cairns, N.J., 161
Dauch, P., Champigny, G., Ricci, J.-E., Checler, F., Lack of effect of Presenilin 1, βAPP and their Alzheimer's disease-related mutated forms on *Xenopus* oocytes membrane currents, 85
Díez-Guerra, F.J., see Rodríguez-Sánchez, P., 137
Donnerer, J., Improved neurochemical recovery of 6-hydroxydopamine-lesioned postganglionic sympathetic neurons by nerve growth factor in the adult rat, 33

Eliav, E., see Herzberg, U., 157
Esclaire, F., see Lesort, M., 213
Espejo, M., Roig, T., Cutillas, B., Bermúdez, J., Bartrons, R., Ambrosio, S., Early effects of basic fibroblast growth factor on foetal rat mesencephalic cell suspensions, 5

Faucheux, B., see Boissière, F., 141
Feuerstein, T.J., see Knörle, R., 169
Franke, C., see Bufler, J., 173

Giménez-Gallego, G., see Cuevas, P., 25
Gloveli, T., Iserhot, C., Schmitz, D., Castrén, E., Behr, J., Heinemann, U., Systemic administration of the phencyclidine compound MK-801 affects stimulus-induced field potentials selectively in layer III of rat medial entorhinal cortex, 93
Gross, J., see Chen, Y., 77
Grundemar, L., see Ny, L., 113
Gruzelier, J., see Hardman, E., 117

Haga, S., see Nakamura, S., 181
Hardman, E., Gruzelier, J., Cheesman, K., Jones, C., Liddiard, D., Schleichert, H., Birbaumer, N., Frontal interhemispheric asymmetry: self regulation and individual differences in humans, 117
Hashimoto, S., Kohsaka, M., Nakamura, K., Honma, H., Honma, S., Honma, K.-i., Midday exposure to bright light changes the circadian organization of plasma melatonin rhythm in humans, 89
Hattori, M., see Kunugi, H., 202
Heckmann, M., see Bufler, J., 173
Heinemann, U., see Gloveli, T., 93
Herrera-Marschitz, M., see Chen, Y., 77
Herzberg, U., Eliav, E., Bennett, G.J., Kopin, I.J., The analgesic effects of *R*(+)-WIN 55,212–2 mesylate, a high affinity cannabinoid agonist, in a rat model of neuropathic pain, 157
Hirsch, E.C., see Boissière, F., 141
Hoda, F., see Kunugi, H., 202
Honma, H., see Hashimoto, S., 89
Honma, K.-i., see Hashimoto, S., 89
Honma, S., see Hashimoto, S., 89
Horie, K., see Takeda, A., 17
Horschke, I., see Ott, R., 185
Hrabetova, S., see Osten, P., 37
Hugon, J., see Lesort, M., 213

Ichikawa, M., see Kondo, T., 189
Iijima, T., see Kondo, T., 189
Ikeda, K., see Nakamura, S., 181
Iserhot, C., see Gloveli, T., 93
Ishida, N., see Yamazaki, N., 193
Ishiura, S., see Yazaki, M., 57
Iverfeldt, K., see Beckman, M., 73
Iwai, N., see Shimoike, H., 133
Iwatsubo, T., see Mann, D.M.A., 81

Jahn, K., see Bufler, J., 173
Jones, C., see Hardman, E., 117

Kaang, B.-K., Parameters influencing ectopic gene expression in *Aplysia* neurons, 29
Kinoshita, M., see Shimoike, H., 133
Knörle, R., Assmann, D., Landwehrmeyer, G.B., Scheremet, R., Müller, K., Feuerstein, T.J., Aspartate, glutamate, glutamine, glycine and γ-aminobutyric acid in human bioptic neocortical areas: comparison to autoptic tissue, 169
Kobayashi, J.-i., Ohta, M., Terada, Y., Tetrodotoxin-resistant Na^+ spikes of C fibers have at least two subtypes in the isolated bullfrog sciatic nerve, 9
Kohsaka, M., see Hashimoto, S., 89
Kondo, T., Tominaga, T., Ichikawa, M., Iijima, T., Differential alteration of hippocampal synaptic strength induced by pituitary adenylate cyclase activating polypeptide-38 (PACAP-38), 189
Kopin, I.J., see Herzberg, U., 157
Kovács, T., see Cairns, N.J., 161
Kunugi, H., Nanko, S., Ueki, A., Otsuka, E., Hattori, M., Hoda, F., Vallada, H.P., Arranz, M.J., Collier, D.A., High and low activity alleles of catechol-*O*-methyltransferase gene: ethnic difference and possible association with Parkinson's disease, 202
Künzle, H., see Wolff, A., 125
Kurokawa, T., see Nakamura, S., 181

Landwehrmeyer, G.B., see Knörle, R., 169
Lantos, P.L., see Cairns, N.J., 161
Lau, S.M., see Tang, F., 66
Lees, A.J., see Cairns, N.J., 161
Lemasters, J.J., see Rudolph, J.G., 149
Lesort, M., Esclaire, F., Yardin, C., Hugon, J., NMDA induces apoptosis and necrosis in neuronal cultures. Increased APP immunoreactivity is linked to apoptotic cells, 213
Li, M., see Takeda, A., 17
Li, W.M., Sato, A., Sato, Y., Schmidt, R.F., Morphine microinjected into the nucleus tractus solitarius and rostral ventrolateral medullary nucleus enhances somatosympathetic A- and C-reflexes in anesthetized rats, 53
Liberman, R., see Tal, M., 129
Liddiard, D., see Hardman, E., 117
Lin, L.-H., Sandra, A., Boutelle, S., Talman, W.T., Up-regulation of nitric oxide synthase and its mRNA in vagal motor nuclei following axotomy in rat, 97
Liu, R.J., see Wang, H., 101

Maeda, K., see Takeda, A., 17
Mann, D.M.A., Iwatsubo, T., Pickering-Brown, S.M., Owen, F., Saido, T.C., Perry, R.H., Preferential deposition of amyloid β protein (Aβ) in the form $A\beta_{40}$ in Alzheimer's disease is associated with a gene dosage effect of the apolipoprotein E E4 allele, 81
Marantz, A., see Poeppel, D., 145
Maruyama, K., see Yazaki, M., 57
Mies, G., Blood flow dependent duration of cortical depolarizations in the periphery of focal ischemia of rat brain, 165
Miyata, T., see Takeda, A., 17
Mizuno, K., see Takeda, A., 17
Mori, H., see Takano, T., 205
Moriya, H., see Suseki, K., 41
Motoi, Y., see Nakamura, S., 181
Müller, K., see Knörle, R., 169

Nakai, Y., see Shioda, S., 45
Nakamura, K., see Hashimoto, S., 89
Nakamura, S., Todo, T., Haga, S., Aizawa, T., Motoi, Y., Ueki, A., Kurokawa, T., Ikeda, K., Motor neurons in human and rat spinal cord synthesize fibroblast growth factor-9, 181
Nanko, S., see Kunugi, H., 202
Nissou, M.-F., see Wu, Y., 69
Ny, L., Grundemar, L., Inhibition of stimulated cyclic AMP production by multiple neuropeptide Y receptors in the rat brainstem, 113

Obata, T., Yamanaka, Y., Protective effect of carbidopa on hydroxyl radical generation in the rat striatum by dopamine, 13
Ohta, M., see Kobayashi, J.-i., 9
Osten, P., Hrabetova, S., Charlton Sacktor, T., Differential down-regulation of protein kinase C isoforms in spreading depression, 37
Otsuka, E., see Kunugi, H., 202
Ott, R., Zupanc, G.K.H., Horschke, I., Long-term survival of postembryonically born cells in the cerebellum of gymnotiform fish, *Apteronotus leptorhynchus*, 185
Owen, F., see Mann, D.M.A., 81

Panzica, G.C., see Briganti, F., 61
Perry, R.H., see Mann, D.M.A., 81
Phillips, C., see Poeppel, D., 145
Pickering-Brown, S.M., see Mann, D.M.A., 81
Platt, B., Withington, D.J., Response habituation in the superficial layers of the guinea-pig superior colliculus in vitro, 153
Poeppel, D., Phillips, C., Yellin, E., Rowley, H.A., Roberts, T.P.L., Marantz, A., Processing of vowels in supratemporal auditory cortex, 145

Qiao, J.T., see Wang, H., 101
Qu, Z., see Yamazaki, N., 193

Reimers, D., see Cuevas, P., 25
Ricci, J.-E., see Dauch, P., 85
Roberts, T.P.L., see Poeppel, D., 145
Rodríguez-Sánchez, P., Tejero-Díez, P., Díez-Guerra, F.J., Glutamate stimulates neurogranin phosphorylation in cultured rat hippocampal neurons, 137
Roig, T., see Espejo, M., 5
Rombouts, S.A.R.B., Barkhof, F., Sprenger, M., Valk, J., Scheltens, P., The functional basis of ocular dominance: functional MRI (fMRI) findings, 1
Rowley, H.A., see Poeppel, D., 145
Rudolph, J.G., Lemasters, J.J., Crews, F.T., Use of a multiwell fluorescence scanner with propidium iodide to assess NMDA mediated excitotoxicity in rat cortical neuronal cultures, 149

Sabbatini, M., see Tayebati, S.K., 208
Sahara, N., see Takano, T., 205

Saido, T.C., see Mann, D.M.A., 81
Sandra, A., see Lin, L.-H., 97
Sato, A., see Li, W.M., 53
Sato, Y., see Li, W.M., 53
Scheltens, P., see Rombouts, S.A.R.B., 1
Scheremet, R., see Knörle, R., 169
Schleichert, H., see Hardman, E., 117
Schmidt, R.F., see Li, W.M., 53
Schmitz, D., see Gloveli, T., 93
Shen, E., see Cao, L., 49
Shimoike, H., Iwai, N., Kinoshita, M., Genetic analysis of renin gene expression in the central nervous system of spontaneously hypertensive rats, 133
Shioda, S., Nakai, Y., Direct projections from catecholaminergic neurons in the caudal ventrolateral medulla to vasopressin-containing neurons in the supraoptic nucleus: a triple-labeling electron microscope study in the rat, 45
Sobue, G., see Takeda, A., 17
Sorimachi, H., see Yazaki, M., 57
Sprenger, M., see Rombouts, S.A.R.B., 1
Strijkstra, A.M., Daan, S., Ambient temperature during torpor affects NREM sleep EEG during arousal episodes in hibernating European ground squirrels, 177
Sun, X., see Cao, L., 49
Suseki, K., Takahashi, Y., Takahashi, K., Chiba, T., Tanaka, K., Moriya, H., CGRP-immunoreactive nerve fibers projecting to lumbar facet joints through the paravertebral sympathetic trunk in rats, 41
Suzuki, K., see Yazaki, M., 57

Tagawa, K., see Yazaki, M., 57
Takahashi, K., see Suseki, K., 41
Takahashi, Y., see Suseki, K., 41
Takano, T., Sahara, N., Yamanouchi, Y., Mori, H., Assignment of Alzheimer's *presenilin-2 (PS-2)* gene to 1q42.1 by fluorescence in situ hybridization, 205
Takeda, A., Yasuda, T., Miyata, T., Mizuno, K., Li, M., Yoneyama, S., Horie, K., Maeda, K., Sobue, G., Immunohistochemical study of advanced glycation end products in aging and Alzheimer's disease brain, 17
Tal, M., Liberman, R., Local injection of nerve growth factor (NGF) triggers degranulation of mast cells in rat paw, 129
Talman, W.T., see Lin, L.-H., 97
Tanaka, K., see Suseki, K., 41
Tang, F., Lau, S.M., Chronic haloperidol treatment decreases preproenkephalin mRNA in the anterior pituitary: a study by solution-hybridization-RNase protection assay, 66
Tao, Y.-X., Wei, F., Zhao, Z.-Q., A contribution of neurokinin-1 receptor to formalin-induced c-fos expression in the rat spinal dorsal horn, 105
Tayebati, S.K., Sabbatini, M., Zaccheo, D., Amenta, F., Muscarinic cholinergic receptor subtypes expression by human placenta, 208
Tejero-Díez, P., see Rodríguez-Sánchez, P., 137
Terada, Y., see Kobayashi, J.-i., 9
Todo, T., see Nakamura, S., 181
Toesca, A., Central and peripheral myelin in the rat cochlear and vestibular nerves, 21
Tominaga, T., see Kondo, T., 189
Tsai, M.L., Chu, L.W., Chai, C.Y., Yen, C.-T., Frequency dependent sympathetic modulation of vasomotor tone in the anesthetized rat, 109
Tsuchiya, T., see Yazaki, M., 57

Ueki, A., see Kunugi, H., 202
Ueki, A., see Nakamura, S., 181

Valk, J., see Rombouts, S.A.R.B., 1
Vallada, H.P., see Kunugi, H., 202
Verna, J.-M., see Wu, Y., 69

Wang, H., Liu, R.J., Zhang, R.X., Qiao, J.T., Peripheral NMDA receptors contribute to activation of nociceptors: a c-fos expression study in rats, 101
Watanabe, K., see Yamazaki, N., 193
Wei, F., see Tao, Y.-X., 105
Withington, D.J., see Platt, B., 153
Wolff, A., Künzle, H., Cortical and medullary somatosensory projections to the cochlear nuclear complex in the hedgehog tenrec, 125
Wu, Y., Blum, D., Nissou, M.-F., Benabid, A.-L., Verna, J.-M., Unlike MPP^+, apoptosis induced by 6-OHDA in PC12 cells is independent of mitochondrial inhibition, 69
Wurtman, R.J., see Bogdanov, M.B., 197

Yamanaka, Y., see Obata, T., 13
Yamanouchi, Y., see Takano, T., 205
Yamaoka, S., see Yamazaki, N., 193
Yamazaki, N., Watanabe, K., Qu, Z., Yamaoka, S., Ishida, N., Efficient gene expression in mammalian clock pacemaker cell in vitro by an adenovirus vector, 193
Yardin, C., see Lesort, M., 213
Yasuda, T., see Takeda, A., 17
Yazaki, M., Tagawa, K., Maruyama, K., Sorimachi, H., Tsuchiya, T., Ishiura, S., Suzuki, K., Mutation of potential N-linked glycosylation sites in the Alzheimer's disease amyloid precursor protein (APP), 57
Yellin, E., see Poeppel, D., 145
Yen, C.-T., see Tsai, M.L., 109
Yoneyama, S., see Takeda, A., 17

Zaccheo, D., see Tayebati, S.K., 208
Zhang, R.X., see Wang, H., 101
Zhao, Z.-Q., see Tao, Y.-X., 105
Zupanc, G.K.H., see Ott, R., 185